

1473W

1400 Series Waste Receptacles



Compact, All-Steel Construction, Foot Operated Lid



Standard Features

- 24 Quart (22.7L) Capacity
- Flame Retardant
- Unitized all-steel construction
- Baked epoxy paint finish for added durability against scratching and stains
- Full width hinge
- Heavy-duty foot pedal and linkage
- Self-closing lid
- Exposed edges hemmed for safety
- Bag securing mechanism
- Free biohazard and infectious waste adhesive labels for OSHA labeling requirements
- 1 year limited warranty

Specifications

- **Height:** 16" (40.6cm)
- **Width:** 11.75" (29.8cm)
- **Depth:** 13" (33cm)



1474W

1400 Series Waste Receptacles



Compact, All-Steel Construction, Foot Operated Lid



Standard Features

- 32 Quart (30.3L) Capacity
- Flame Retardant
- Unitized all-steel construction
- Baked epoxy paint finish for added durability against scratching and stains
- Full width hinge
- Heavy-duty foot pedal and linkage
- Self-closing lid
- Exposed edges hemmed for safety
- Bag securing mechanism
- Free biohazard and infectious waste adhesive labels for OSHA labeling requirements
- 1 year limited warranty

Specifications

- **Height:** 21" (53.3cm)
- **Width:** 11.75" (29.8cm)
- **Depth:** 13" (33cm)



1475W

1400 Series Waste Receptacles



High Capacity, All-Steel Construction, Foot Operated Lid



Standard Features

- 48 Quart (45.4L) Capacity
- Flame Retardant
- Unitized all-steel construction
- Baked epoxy paint finish for added durability against scratching and stains
- Full width hinge
- Heavy-duty foot pedal and linkage
- Self-closing lid
- Exposed edges hemmed for safety
- Bag securing mechanism
- Free biohazard and infectious waste adhesive labels for OSHA labeling requirements
- 1 year limited warranty

Specifications

- **Height:** 23.5" (59.7cm)
- **Width:** 13" (33cm)
- **Depth:** 14" (35.6cm)



1473R

1400 Series Waste Receptacles



Compact, All-Steel Construction, Foot Operated Lid



Standard Features

- 24 Quart (22.7L) Capacity
- Flame Retardant
- Unitized all-steel construction
- Baked epoxy paint finish for added durability against scratching and stains
- Full width hinge
- Heavy-duty foot pedal and linkage
- Self-closing lid
- Exposed edges hemmed for safety
- Bag securing mechanism
- Free biohazard and infectious waste adhesive labels for OSHA labeling requirements
- 1 year limited warranty

Specifications

- **Height:** 16" (40.6cm)
- **Width:** 11.75" (29.8cm)
- **Depth:** 13" (33cm)




1474R

1400 Series Waste Receptacles



Compact, All-Steel Construction, Foot Operated Lid



Standard Features

- 32 Quart (30.3L) Capacity
- Flame Retardant
- Unitized all-steel construction
- Baked epoxy paint finish for added durability against scratching and stains
- Full width hinge
- Heavy-duty foot pedal and linkage
- Self-closing lid
- Exposed edges hemmed for safety
- Bag securing mechanism
- Free biohazard and infectious waste adhesive labels for OSHA labeling requirements
- 1 year limited warranty

Specifications

- **Height:** 21" (53.3cm)
- **Width:** 11.75" (29.8cm)
- **Depth:** 13" (33cm)




1475R

1400 Series Waste Receptacles



High Capacity, All-Steel Construction, Foot Operated Lid



Standard Features

- 48 Quart (45.4L) Capacity
- Flame Retardant
- Unitized all-steel construction
- Baked epoxy paint finish for added durability against scratching and stains
- Full width hinge
- Heavy-duty foot pedal and linkage
- Self-closing lid
- Exposed edges hemmed for safety
- Bag securing mechanism
- Free biohazard and infectious waste adhesive labels for OSHA labeling requirements
- 1 year limited warranty

Specifications

- **Height:** 23.5" (59.7cm)
- **Width:** 13" (33cm)
- **Depth:** 14" (35.6cm)



SS1473

1400 Series Waste Receptacles



Stainless Steel 24 Quart (22.7L) Step-On Waste Receptacle



Standard Features

- Flame retardant
- Unitized stainless steel construction
- Resists stains and corrosion
- Full width hinge
- Heavy-duty foot pedal and linkage
- Self-closing lid
- Exposed edges hemmed for safety
- Bag securing mechanism
- Free biohazard and infectious waste adhesive labels for OSHA labeling requirements
- 1 year limited warranty

Specifications

- **Height:** 16" (40.6cm)
- **Width:** 11.75" (29.8cm)
- **Depth:** 13" (33cm)




SS1474

1400 Series Waste Receptacles



Stainless Steel 32 Quart (30.3L) Step-On Waste Receptacle



Standard Features

- Flame retardant
- Unitized stainless steel construction
- Resists stains and corrosion
- Full width hinge
- Heavy-duty foot pedal and linkage
- Self-closing lid
- Exposed edges hemmed for safety
- Bag securing mechanism
- Free biohazard and infectious waste adhesive labels for OSHA labeling requirements
- 1 year limited warranty

Specifications

- **Height:** 21" (53.3cm)
- **Width:** 11.75" (29.8cm)
- **Depth:** 13" (33cm)




SS1475

1400 Series Waste Receptacles



Stainless Steel 48 Quart (45.4L) Step-On Waste Receptacle



Standard Features

- Flame retardant
- Unitized stainless steel construction
- Resists stains and corrosion
- Full width hinge
- Heavy-duty foot pedal and linkage
- Self-closing lid
- Exposed edges hemmed for safety
- Bag securing mechanism
- Free biohazard and infectious waste adhesive labels for OSHA labeling requirements
- 1 year limited warranty

Specifications

- **Height:** 23.5" (59.7cm)
- **Width:** 13" (33cm)
- **Depth:** 14" (35.6cm)

