

STAXIS

532A Straight Arm Chair



Multi-Purpose

- FEATURES**
- 7/8" 16 gauge tubular steel frame, Black epoxy coated, covered with an abrasion resistant thermoplastic nylon coating
 - Upholstered contoured seat with waterfall edge design
 - Fully upholstered contoured back
 - High density foam on both seat and back
 - Black urethane arms
 - Stacks up to 6 chairs high

- OPTIONS**
- Ganging mechanism for arm chair (LK60)
 - Ganging mechanism for side chair (LK61)
 - Casters (set of 4)



MAXIMUM H 33.5" (850 mm)
MAXIMUM W 22" (560 mm)
MAXIMUM D 19" (485 mm)

SEAT H 18" (460 mm)
SEAT W 18" (460 mm)
SEAT D 16.5" (420 mm)

BACK H 15.5" (395 mm)
ARM H 26" (660 mm)

SHIP WT/CHAIR 18 lbs (8 kg)
SHIP VOLUME/4 CHAIR 19 ft³ (0.54 m³)

COM FABRIC 1.5 yd (1.38 m)
QUANT/CARTON 4

STAXIS

600 Curved Arm Chair



Multi-Purpose

- FEATURES**
- 7/8" 16 gauge tubular steel frame, Black epoxy coated, covered with an abrasion resistant thermoplastic nylon coating
 - Upholstered contoured seat with waterfall edge design
 - Fully upholstered contoured back
 - High density foam on both seat and back
 - Black urethane arms
 - Stacks up to 6 chairs high

- OPTIONS**
- Ganging mechanism for arm chair (LK60)
 - Ganging mechanism for side chair (LK61)
 - Casters (set of 4)



MAXIMUM H 31.5" (800 mm)
MAXIMUM W 23" (585 mm)
MAXIMUM D 19.5" (495 mm)

SEAT H 18" (460 mm)
SEAT W 19.5" (495 mm)
SEAT D 18" (460 mm)

BACK H 13.5" (345 mm)
ARM H 25.25" (640 mm)

SHIP WT/CHAIR 19 lbs (9 kg)
SHIP VOLUME/4 CHAIR 19 ft³ (0.54 m³)

COM FABRIC 1.5 yd (1.38 m)
QUANT/CARTON 4

STAXIS

601 Side Chair



Multi-Purpose

FEATURES Meets safety and performance standards of ANSI/BIFMA x 5.1-2003

- Model 600 is Canadian government tested and approved CGSB-GDP-6
- 7/8" 16 gauge tubular steel frame, Black epoxy coated, covered with an abrasion resistant thermoplastic nylon coating
- Upholstered contoured seat with waterfall edge design
- Fully upholstered contoured back
- High density foam on both seat and back
- Stacks up to 6 chairs high



- ### OPTIONS
- Ganging mechanism for arm chair (LK60)
 - Ganging mechanism for side chair (LK61)
 - Casters (set of 4)



MAXIMUM H 33.5" (850 mm)
MAXIMUM W 22" (560 mm)
MAXIMUM D 19" (485 mm)

SEAT H 18" (460 mm)
SEAT W 18" (460 mm)
SEAT D 16.5" (420 mm)

BACK H 15.5" (395 mm)

SHIP WT/CHAIR 19 lbs (9 kg)
SHIP VOLUME/4 CHAIR 19 ft³ (0.54 m³)

COM FABRIC 1.5 yd (1.38 m)
QUANT/CARTON 4